

Whale Contact: +44(0)121 704 5700
Email: sales@whale.co.uk
Whale Service: 0121 704 5710
Whale Spares: 0121 704 5720

Type: **COMPACT RANGE 140/60**

ROM 140/60: 60 lpm at 140 Bar - Drains Up to 300mm Diameter

: Suitable for use with Van Type Vehicles: EG VW Transporter,
Mercedes Vito, Renault Traffic



JETTING SYSTEM

Jetting pump: High Pressure triplex pump
Flow and Pressure: 60 l/min at 140 bar / 2030 PSI
Control: Manual pressure regulator
Diesel Engine: B&S Vanguard Petrol Engine - 16.9KW/23hp - Fitted with Keyless Electric start
Fuel Tank: 12 Litre capacity
Control Panel: Engine controls and Emergency Stop at the rear
Gauges: Water pressure calibrated in PSI and BAR mounted in control panel.
Protection: In line fine filter to low pressure water feed
: System Pressure Relief Valve
: Hours Run Meter

Jetting Hose Reel: Manually driven hose reel
Hose Guide: Manual Hose Guide System
Jetting Hose: 50m of flexible 13mm - 1/2" Diameter sewer jetting hose
Standard Nozzles: 1 forward facing nozzle & 1 retro nozzle

TANK

Material: Lightweight, transparent cast HDPE Modular design
Tank Interior: Natural finish
Contents: Water
Specific Gravity: 1.00
Nominal Capacity: 400 litre
: Overflow Valve/Vent in main tank
: Drain Valve - Manual Ball Valve
Installation Kit: Integral securing straps to the main frame

Overall Dimensions: Overall Length: 1050mm, Overall Width: 1190mm, Overall Height: 1100mm
Empty Equipment Weight:
230KG

WHALE Compact 60 lpm at 140 Bar - Base Spec - Options shown extra

PAINTWORK	PAINT SPECIFICATION	REF
Tank:	Natural Finish Transparent	
Metal Work Finish:	Durable Industrial Finish - Colour Red (RAL 3002)	
Van	Factory Finish	
ADDITIONAL INFORMATION		

Suitable Chassis Details:

Warning: In certain operational circumstances it is possible that the GVW or individual axle loading of this vehicle could be exceeded, the operator should be made aware of this possibility.

Chassis Dealer:

Contact:

Telephone:

BASE JETTING UNIT SPECIFICATION ENDS

OPTIONS: Please "**Tick the Box**" to Select this Option - these are additional costs to the Base Price

PROMOTIONAL Package ONLY for Jetting Unit COMPACT 140/60

- | | | |
|------------------|--|--------------------------|
| Package A | Consists of (1) Filling hose reel,(2) Dry run protection,(3) Installation Kit | <input type="checkbox"/> |
| Package B | Consists of (1) Filling hose reel,(2) Dry run protection,
(3) Hydraulic driven HP reel ,(4) Installation Kit | <input type="checkbox"/> |
| Package C | Consists of (1) Filling hose reel,(2) Dry run protection,
(3) Remote Control Easy-Remote 6-channel ,(4) Installation Kit | <input type="checkbox"/> |
| Package D | Consists of (1) Filling hose reel,(2) Dry run protection,
(3) Hydraulic driven HP reel (4) Remote Control Easy-Remote 6-channel ,
(5) Installation Kit | <input type="checkbox"/> |

WHALE Compact 60 lpm at 140 Bar - Base Spec - Options shown extra

Manually Operated Water Fill Manually operated water filling hose reel with 50m 3/4" filling hose

Hose Reel:



Water Tank: Larger Capacity water tank-dependant on Van size selected:400 Ltr in Base
650 Ltr instead of 400 Ltr

NB This WILL impact on the Unladen and Laden weights so ensure that the Van carrying capacity is correct when discussing the tank upgrades - Larger tanks will have stainless steel baffles.

Water Fill: UK Hydrant fixed fill connection

Pulsation: Jetting Pulsation feature

Jetting Hose: 80m instead of 50m of flexible
13mm - 1/2" Diameter sewer jetting hose

Pump Protection (Frost): Air Compressor Blow out System for frost free transport and storage

Pump Protection: Dry Run Protection

Protection: Anti freeze suction system

Lighting: Work lamp on a magnetic bracket

CameraWhale TV Kit: CameraWhale TV Kit
2325GB Camera plus SD memory card plus wheel skid unit

Van Fitting: 3.5 Tonne LWB

- : Ply Line up to the cant rail sides in 6mm thick plywood
- : 18mm Bulkhead up to cant rail for separate compartment
- : Water proof up to wheel arch height in both compartments

Van Fitting: 5.5 Tonne LWB

- : Ply Line up to the cant rail sides in 6mm thick plywood
- : 18mm Bulkhead up to cant rail for separate compartment
- : Water proof up to wheel arch height in both compartments
- : Handwash unit in mid compartment
- : 2 off Roof Vents
- : 240v Inverter 1500 watts
- : Keyless Running

Van Lighting Options: 2 off rear LED Work lamps inside the van
: Uprated LED light in the mid compartment
: 1 off Onus LED Lightbar mounted on the roof at the rear
: 2 off LED Amber flashing Beacons , 1 off fitted at the front ,
and 1 off fitted at the rear on the roof
: 2 off LED Amber flashing lamps fitted in the front grill

End of Option Choices for this SPECIFICATION